## April 3, 2025 Qingyuan Liu

- Recent progress
  - Using old/new templates to fit ECL trigger rates in November study
    - Reinvented the wheel

      - For easier comparison of different fitting scenarios
      - Prepare for general PV analysis
    - Short summary on results
      - New templates (2024) seem to overestimate LER beam-gas

#### • SAD code development

- Finished conceptual design to use Geant4 to modify coordinates of beam particles
  - ExternalMap for customized collimation
  - System-interface for communication between SAD and Geant4
- Possible application:
  - Simulation of beam interaction with dust particles
  - More realistic collimator for both rings
    - Tip scattering is only implemented for SKB type collimators
- SAD simulation to scan head length of D05V1 with CFC (Carbon Fiber Composite)
- Plans for the next week(s)
  - - There are a lot of SimHits in EKLM
  - ECL trigger rate fit: The Touschek template derived from relatively low stat limits the fit quality!


Use pandas to handle PV values and fit the data with two methods: least-square and maximum poisson likelihood

• Remind KLM expert to investigate the zero hit rate for end-caps in the April MC. -> Major blocker to completing data-MC study for April

Generate more MC for November, Implement outlier removal and check if a particular component follows measured tune shift.




#### November study






### Heuristic fit doesn't work very well?


tcid\_99






beamgas/touschek(new):	1.90
beamgas/touschek(old):	0.35


0 🔤



# Work in progress: ECL data fit with new templates

### Templates comparison







# Work in progress: ECL data fit with new templates

